

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/67884 A1

- (51) International Patent Classification⁷: **A23G 3/30**, 3/00, 3/02 (74) Agents: **FEDERMAN, Evan, J.**; Warner-Lambert Company, 201 Tabor Road, Morris Plains, NJ 07950 et al. (US).
- (21) International Application Number: **PCT/US01/06816** (81) Designated States (*national*): AE, AG, AL, AU, BA, BB, BG, BR, BZ, CA, CN, CO, CR, CU, CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, MZ, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, UZ, VN, YU, ZA.
- (22) International Filing Date: 1 March 2001 (01.03.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/188,554 10 March 2000 (10.03.2000) US
09/741,523 20 December 2000 (20.12.2000) US
- (71) Applicant: **WARNER-LAMBERT COMPANY** [US/US]; 201 Tabor Road, Morris Plains, NJ 07950 (US).
- (72) Inventors: **LUO, Shiuh, John**; 51 Woodcrest Drive, Livingston, NJ 07039 (US). **HOLME, Samantha, Katharine, Rachael**; 18 Manor Avenue, Pompton Plains, NJ 07444 (US).
- Published:
— with international search report
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 01/67884 A1

(54) Title: STAIN REMOVING CHEWING GUM AND CONFECTIONERY COMPOSITIONS, AND METHODS OF MAKING AND USING THE SAME

(57) Abstract: A composition in the form of a chewing gum composition or a confectionery composition containing stain removing agent selected from anionic and non-ionic surfactants and methods of preparing and using the same to remove stains from dental material including teeth.

STAIN REMOVING CHEWING GUM AND CONFECTIONERY
COMPOSITIONS, AND METHODS OF MAKING AND USING THE SAME

5 Related Application;

 This application claims the priority of U.S. Provisional Patent Application
Serial No. 60/188,554 filed on March 10, 2000.

10 Field Of The Invention;

 The present invention is generally directed to chewing gum and
confectionery compositions containing an effective amount of a stain removing
component selected from anionic and non-ionic surfactants and to processes of
15 making the compositions in a manner which facilitates the release of the stain
removing component.

Background Of The Invention;

20 Tooth whitening or stain removing components are known to be added to
dentifrice compositions such as toothpastes, mouthwashes, and the like. Such
compositions include dicalcium phosphates, peroxides, percarbonates and the like
such as disclosed in, for example, U.S. Patent Nos. 5,256,402; and 5,824,291.

25 The employment of surfactants including non-ionic surfactants is known for
laundry detergent compositions. Such surfactants are disclosed, for example, in
International Publication Nos. WO 92/06160 and WO 95/33034. The use of non-
ionic surfactants in laundry detergent compositions is known to improve the
effectiveness of such compositions against greasy/oily stains.

30

 U.S. Patent No. 5,645,821 discloses an oral hygiene composition to clean
and whiten teeth which includes water, gelling agent, anionic surfactant and a
mixture of alkaline earth metal hydroxides and carbonates. WO 88/00463

discloses an oral composition for removing and/or preventing plaque and for removing stains which includes an oily compatible surfactant and at least one weight percent of a benzoic acid salt. The composition is also stated to contain a biocide such as chlorhexidine or derivative thereof. An exemplified surfactant is sodium lauryl sulfate and the composition is also stated to contain plasticizers including polyethylene glycol, glycerin and the like. The reference states that the composition may be used in the form of dentifrices, lozenges or chewing gum.

Other chewing gum compositions and the active ingredient for removing stains disclosed therein include WO 99/43294 (chlorite ion); WO 99/27798 (a water-soluble product including sodium bicarbonate and encapsulated aspartame); Chinese Patent Document No. 1196235 (hydrogen peroxide); U.S. Patent No. 5,824,291 (alkaline metal carbonate peroxyhydrates); WO 98/29088 (cysteine proteinase); WO 98/18339 (bone minerals, calcium triphosphate and/or hydroxyapatite); and U.S. Patent No. 5,629,035 (alkaline metal bicarbonates).

U.S. Patent No. 4,952,407 discloses a gum composition containing a dental plaque removing agent in the form of glycerol monolaurate. The composition typically includes a high filler content wherein the filler is an inorganic material such as calcium carbonate, talc, sodium bicarbonate dicalcium phosphate and mixtures thereof.

For coated chewing gum compositions, it is known to provide an active agent such as a medicament in the chewing gum coating and optionally in the core such as disclosed in WO 00/35296 and WO 00/35298.

Unlike toothpaste, mouthwash and other dentifrice compositions, gum compositions present unique problems in delivering agents. Chewing gum compositions typically comprise a water-insoluble gum base which provides the bulk to the gum composition but which invariably traps agents having compatibility with the gum base. Adding additional amounts of an agent is problematical

because the same can have an adverse effect on the integrity, sensory and/or taste properties of the gum composition.

5 It would therefore be a significant advance in the art of providing a stain removing agent for the cleaning of dental material including teeth if such stain removing agent could be effectively incorporated into a chewing gum composition and released therefrom during the chewing process in a manner which provides an effective amount of the stain removing agent. The chewing gum composition would then not only provide chewing satisfaction to the user, but would also provide a
10 beneficial dental effect.

Confectionery compositions are well known in the art. Such compositions include, for example, hard boiled candies, nougats, panning goods, gel confections, centerfill confections, fondants, and the like. Unlike chewing gum compositions
15 which often remain in the mouth for several minutes and often quite longer, confectionery compositions tend to have a short life in the mouth because they dissolve relatively quickly upon chewing. Nonetheless, it would be of great benefit to provide confectionery compositions with an effective amount of a stain removing agent to provide such products to render them capable of providing a beneficial
20 dental effect.

Summary Of The Invention;

25 The present invention is generally directed to stain-removing chewing gum and confectionery compositions in which a stain removing material has been effectively incorporated therein so that a sufficient amount is available for a stain removing effect.

30 In a particular aspect of the present invention, there is provided a stain-removing composition selected from a chewing gum composition and a confectionery composition comprising a stain removing effective amount of at least one stain removing agent selected from the group consisting of anionic and non-ionic surfactants, said stain removing agent being present in a manner which

enables an effective amount of the stain removing agent to be released from the composition.

In accordance with one aspect of the present invention, there is provided a stain-removing chewing gum composition comprising a core and a coating comprised of at least one layer with at least one of the core and coating comprising a stain removing effective amount of at least one stain removing agent selected from the group consisting of anionic and non-ionic surfactants and mixtures thereof. A method of removing stains by employing the chewing gum composition of the present invention is also disclosed.

In a further aspect of the invention, there is provided a chewing gum composition in which the stain removing agent is added at a time in the process of making the same which enhances release of the stain removing agent during the chewing operation.

In a still further aspect of the present invention there is provided a stain removing confectionery composition comprising a stain removing effective amount of at least one stain removing agent selected from the group consisting of anionic and non-ionic surfactants and mixtures thereof. A method of removing stains by employing the confectionery compositions of the present invention is also disclosed.

In a preferred form of the invention, the surfactants for both the gum and confectionery compositions are selected from the group consisting of medium and long chain fatty acid esters and salts, most preferably containing 14-20 carbon atoms, and especially sodium stearate and sodium palmitate and mixtures thereof, as well as a mixture of citric acid esters of mono and diglycerides.

Detailed Description Of The Invention;

Applicants have determined that an effective stain removing chewing gum and confectionery compositions can be prepared by a suitable selection of stain-removing agents and the formulation of the gum and confectionery compositions and the manner in which the stain-removing agents are added to the compositions

which enables the release of the stain-removing agent in an effective amount so that it may come into contact with dental surfaces including tooth surfaces while maintaining the organoleptic properties commonly associated with such products.

5 The chewing gum compositions of the present invention, may be coated or uncoated and be in the form of slabs, sticks, pellets, balls and the like. The composition of the different forms of the chewing gum compositions will be similar but may vary with regard to the ratio of the ingredients. For example, coated gum compositions may contain a lower percentage of softeners. Pellets and balls have
10 a small chewing gum core, which is then coated with either a sugar solution or a sugarless solution to create a hard shell. Slabs and sticks are usually formulated to be softer in texture than the chewing gum core. For practice of the present invention however, in order to overcome any detrimental softening effect the surfactant active may have on the gum base, it is preferred to formulate a slab or
15 stick gum having a firmer texture (i.e. with less softener than is typically employed).

 Centerfilled gum is another common gum form. The gum portion has a similar composition and mode of manufacture to that described above. However, the centerfill is typically an aqueous solution or gel, which is injected into the center
20 of the gum during processing. The stain removing agent could optionally be incorporated into the centerfill during manufacture of the fill or into the chewing gum. The centerfill gum may also be optionally coated and may be prepared in various forms such as in the form of a lollipop.

25 For practice of the present invention it is preferred to use a coated gum wherein the stain removing agent is in at least one of the core and the coating. Most preferred for removing stains is a coated gum wherein the stain removing agent is at least in the coating.

30 The chewing gum composition of the present invention includes gum base and most of the other typical chewing gum composition components such as sweeteners, softeners, flavorants and the like. At least one stain removing agent is employed in the present invention which is selected from anionic and non-ionic

surfactants. The chewing gum composition may contain a reduced amount of softening agents such as lecithin or glycerin or may eliminate softeners. In addition, the chewing gum composition may contain a larger amount of sugar alcohols than conventional chewing gum compositions to facilitate delivery of the stain removing agent employed in the present invention to the tooth surfaces.

In accordance with one aspect of the chewing gum composition of the present invention, the stain removing agent is added during the manufacture of the chewing gum composition, that is, with the sweeteners, flavorants and the like. In another aspect of the present invention, the stain removing agent is added as one of the last steps, preferably the last step in the formation of the chewing gum composition. Applicants have determined that this process modification incorporates the stain removing agent into the gum composition without materially binding the stain-removing agent therein such as may occur if the stain removing agent is mixed directly with the gum base. Thus, the stain-removing, while only loosely contained within the gum composition can be more effectively released therefrom during a typical chewing operation. Thus a material portion of the stain removing agent is free of the gum base.

In a further aspect of the invention, the insoluble gum base generally comprises elastomers, elastomer plasticizers, waxes, fats, oils, emulsifiers, fillers, texturizers and may include a desirable stain-removing agent as hereinafter described.

Elastomers constitute from about 5 to 95% by weight of the base, preferably 10 to 70% by weight and most preferably 15 to 45% by weight. Examples of elastomers includes synthetic elastomers such as polyisobutylene, polybutylene, isobutylene-isoprene co-polymers, styrene-butadiene co-polymers, polyvinylacetate and the like. Elastomers may also include natural elastomers such as natural rubber as well as natural gums such as jelutong, lechi caspi, perillo, massaranduba balata, chicle, gutta hang kang or mixtures thereof. Other elastomers are known to those of ordinary skill in the art.

Elastomer plasticizers modify the finished gum firmness this when used in the gum base. Elastomer plasticizers are typically present in an amount of from about 0 to 75% by weight of the gum base, preferably from about 5 to 45% by weight and most preferably from about 10 to 30% by weight. Examples of elastomer plasticizers include natural rosin esters such as glycerol ester of partially hydrogenated rosin, glycerol ester of tall oil rosin, pentaerythritol esters of partially hydrogenated rosin, methyl and partially hydrogenated methyl esters of rosin, and the like. Synthetic elastomer plasticizers such as terpene resins may also be employed in gum base composition

Waxes include synthetic and naturally occurring waxes such as polyethylene, bees wax, carnauba and the like. Petroleum waxes such a paraffin may also be used. The waxes may be present in the amount of from about 0 to 30% by weight of the gum base. Waxes aid in the curing of the finished gum and help improve the release of flavor and may extend the shelf life of the product.

Fillers modify the texture of the gum base and aid processing. Examples of such fillers include magnesium and aluminum silicates, clay, alumina, talc, titanium oxide, cellulose polymers, and the like. Fillers are typically present in an amount of from 1 to 60% by weight.

Examples of softeners used in gum base include hydrogenated and partially hydrogenated vegetable oils, cocoa butter, glycerol monostearate, glycerol triacetate, di and tri glycerides, fatty acids such as stearic acid, palmitic acid, oleic acid, linoleic acid, linolenic acid and the like.

The gum base constitutes between 5 and 95% by weight of the chewing gum composition, more typically 10 to 50% by weight, and most preferably 25 to 35% by weight of the chewing gum. A higher amount of gum base is preferred.

Other ingredients used in chewing gum compositions include sweeteners, both natural and artificial and both sugar and sugarless. Sweeteners are typically

present in the chewing gum compositions in amounts of from about 20 to 80% by weight, preferably from about 30 to 60% by weight. Sugarless sweeteners include, but are not limited sugar alcohols such as sorbitol, mannitol, xylitol, hydrogenated starch hydrolysates, maltitol and the like may also be present. High intensity sweeteners such as sucralose, aspartame, salts of acesulfame, and the like. High intensity sweeteners are typically present from about 0 to 1.0% by weight.

Flavoring agents which can vary over a wide range may be selected in amounts from about 0.1 to 10.0% by weight, preferably from about 0.5 to 5.0% by weight. Flavoring agents for use in chewing gum compositions are well known and include citrus oils, peppermint oil, spearmint oil, oil of wintergreen, menthol and the like.

Softeners may be present to modify the texture of the chewing gum composition. Unlike typical gum compositions, softeners in the compositions of the present invention are typically present in reduced amounts of from about 0.5 to 10% by weight based on the total weight of the chewing gum.

Other materials which may be present in the gum composition of the present invention include antioxidants (e.g. butylated hydroxyanisole, butylated hydroxytoluene, beta-carotenes, tocopherols, colorants, flavorants and the like.

Coating techniques for applying a coating for a chewing gum composition such as pan and spray coating are well known. Preferred in the practice of the present invention is coating with solutions adapted to build a hard candy layer. Both sugar and sugar alcohols may be used for this purpose together with high intensity sweeteners, colorants, flavorants and binders. When the stain removing agent is provided in the coating of a chewing gum composition, a solution of the stain removing agent is preferably, alternately, applied with the flavorant.

The sweetener may be present in an amount of from about 30% to about 80% by weight of the coating syrup. The binder may be present in an amount of from about 1% to about 15% by weight of the coating syrup. Minor amounts of the

optional additives may also be present. The sweeteners suitable for use in the coating syrup comprise sugarless sweeteners such as the polyhydric alcohols, e.g., xylitol, sorbitol, mannitol, and mixtures, thereof; as well as maltitol, isomaltitol, hydrogenated starch hydrolysates, and hydrogenated glucose syrups. Mono, di-
5 and polysaccharide may also be included. For example, sugars such as sucrose, fructose, glucose, galatose and maltose may also be employed as a sweetener. Other sweeteners suitable for use in the coating syrup include, but are not limited to free saccharin acid, water soluble salts of saccharin, cyclamate salts, palatinin dihydrochalcones, glycyrrhizin, L-aspartyl-L-phenylalanine methyl ester, amino acid
10 based sweeteners, talin, steviosides, dihydrochalcone compounds, acesulfame salts and mixtures thereof.

Other components may be added in minor amounts to the coating syrup and include moisture absorbing compounds, anti-adherent compounds, dispersing
15 agents and film forming agents. The moisture absorbing compounds suitable for use in the coating syrups include mannitol or dicalcium phosphate. Examples of useful anti-adherent compounds, which may also function as a filler, include talc, magnesium trisilicate and calcium carbonate. These ingredients may be employed in amounts of about 0.5% to about 5% by weight of the syrup. Examples of
20 dispersing agents which may be employed in the coating syrup include titanium dioxide, talc or other anti-adherent compounds as set forth above.

The coating syrup is usually heated and a portion thereof deposited on the cores. Usually a single deposition of the coating syrup is not sufficient to provide
25 the desired amount or thickness of coating and it usually will be necessary to apply second, third or more coats of the coating syrup in order to build up the weight and thickness of the coating to desired levels with layers allowed to dry in-between coats.

30 A preferred aspect of the chewing gum composition invention adds a stain removing agent to the coat. The stain removing agent is preferably applied subsequent to the syrup coating. It is preferred to then apply a coat of high intensity sweetener prior to coating with the stain removing agent. Application of

the stain removing agent is preferably done alternatively to application of a flavorant solution. In the practice of the present invention the stain removing agent may be applied as a solution or may be applied as a dry charge or, where applicable, melted and applied. For fatty acid salts a dry charge may be preferred.

5 In coating a chewing gum composition, the applications of coating syrup are continued until the average gum piece weight reaches the required coating weight, preferably until the coat comprises 20-30% by weight of the final pellet weight.

The present invention also encompasses confectionery compositions
10 containing a suitable selection of stain-removing agents. Confectionery compositions include compressed tablets such as mints, hard boiled candies, nougats, gels, centerfill confections, fondants, panning goods and other compositions falling within the generally accepted definition of confectionery compositions.

15 Confectionery compositions in the form of pressed tablets such as mints may generally be made by combining finely sifted sugar or sugar substitute, flavoring agent (e.g. peppermint flavor) bulking agent such as gum arabic, and an optional coloring agent. The flavoring agent, bulking agent are combined and then
20 gradually the sugar or sugar substitute are added along with a coloring agent if needed.

The product is then granulated by passing through a sieve of desired mesh size (e.g. 12 mesh) and then dried at typically 55 to 60°C. The resulting
25 powder is fed into a tableting machine fitted with a large size punch and the resulting pellets are broken into granules and then pressed.

High boiled candies typically contain sugar or sugar substitute, glucose, water, flavoring agent and optional coloring agent. The sugar is dissolved
30 in the water and glucose is then added. The mixture is brought to a boil. The resulting liquid to which may previously have been added a coloring agent is poured onto an oiled slab and cooled. The flavoring agent are then added and

kneaded into the cooled mass. The resulting mixture is then fed to a drop roller assembly known in the art to form the final hard candy shape.

5 A nougat composition typically includes two principal components, a high boiled candy and a frappe. By way of example, egg albumen or substitute thereof is combined with water and whisked to form a light foam. Sugar and glucose are added to water and boiled typically at about 130-140°C and the resulting boiled product is poured into a mixing machine and beat until creamy.

10 The beaten albumen and flavoring agent are combined with the creamy product and the combination is thereafter thoroughly mixed.

Further details regarding the preparation of confectionery compositions can be found in Skuse's Complete Confectioner (13th Edition) (1957) including pp. 41-71, 133-144, and 255-262; and Sugar Confectionery Manufacture (2nd Edition) (1995), E.B. Jackson, Editor, pp. 129-168, 169-188, 189-216, 218-234, and 236-258 each of which is incorporated herein by reference.

20 In accordance with the present invention, a stain-removing effective amount of an anionic and/or non-ionic surfactant is employed as a stain-removing agent for chewing gum and confectionery compositions. Typical examples of the stain removing agents which may be employed in the present invention include sulfated butyl oleate, medium and long chain fatty acid esters and salts in particular the sodium and potassium salts of the stearate and palmitate, and methyl and ethyl
25 esters thereof, sodium oleate, salts of fumaric acid, potassium glomate, organic acid esters of mono and diglycerides such as stearyl monoglyceridyl citrate, succistearin, dioctyl sodium sulfosuccinate, glycerol tristearate, lecithin, hydroxylated lecithin, sodium lauryl sulfate, acetylated monoglycerides, succinylated monoglycerides, monoglyceride citrate, ethoxylated mono- and
30 diglycerides, sorbitan monostearate, calcium stearyl-2-lactylate, sodium stearyl lactylate, lactylated fatty acid esters of glycerol and propylene glycerol, glycerol-lactoesters of C14-C20 fatty acids, polyglycerol esters of C14-C20 fatty acids, propylene glycol alginate, sucrose C14-C20 fatty acid esters, diacetyl tartaric or

citric acid esters of mono and diglycerides, triacetin and the like and mixtures thereof.

5 The preferred surfactants for use in chewing gum compositions of the present invention are sodium stearate, usually available as an approximate 50/50 mixture with sodium palmitate, and, a mixture of at least one citric acid ester of mono and/or diglycerides. A suitable example of a commercial stain removing agent in the latter class is IMWITOR 370[®] sold by Condea Vista Company. The amount of the stain-removing agent for chewing gum compositions is typically from
10 about 0.2 to 2.0% by weight based on the total weight of the chewing gum composition. The preferred amount of the stain-removing agent is from about 0.4 to 1.2% by weight. The amount of the stain removing agent will vary depending upon the particular individual or combination of stain-removing agents employed. For example, a preferred amount of sodium stearate is about 0.5% by weight, while
15 a preferred amount of a mixture of citric acid esters of mono- and diglycerides (IMWITOR 370[®]) is about 1% by weight.

The preferred stain removing agents for use in the confectionery compositions of the present invention are sodium stearate, sodium palmitate and
20 mixtures thereof. As indicated in connection with the chewing gum compositions, sodium stearate is usually available as an approximately evenly divided mixture with sodium palmitate.

The amount of the stain removing agent which may be employed in
25 the confectionery compositions of the present invention will vary over a range depending on, for example, the type of confectionery composition and the particular individual or combination of stain removing agents which are employed. Generally, the amount of stain removing agent used in the confectionery compositions of the present invention will exceed the amount of the stain removing agent employed for
30 the chewing gum composition for a particular stain removing agent.

Typically, the stain removing agent for confectionery compositions will be present in an amount of from about 0.2 to 20% by weight based on the total

weight of the confectionery composition. The preferred amount of the stain removing agent is from about 3 to 15% by weight.

EXAMPLES

5

The following examples are submitted for illustrative purposes only and are not intended to limit the scope of the application as fully covered by the specification and claims.

10 EXAMPLE 1: PREPARATION OF GUM PRODUCTS;

A. SLAB GUMS

TABLE 1

Ingredient	Sample 1	Sample 2
Gum base	29.75	29.75
Atomite (Filler)	4.2500	4.2500
Sorbitol	49.9868	49.4868
Mannitol	10.00	10.00
Glycerin	1.00	1.00
High Intensity sweetener*	1.3632	1.3632
Flavor	3.1500	3.1500
Sodium stearate**	0.500	---
IMWITOR370 [®]	---	1.00
Totals	100.00	100.00

15

*Aspartame, Ace K mixtures

**Sodium stearate/sodium palmitate @50/50

20

Samples 1 and 2 of the chewing gum compositions identified in Table 1 were prepared by conventional methods. The gum base was heated to sufficiently soften the base without adversely affecting the physical and chemical make up of the base. The molten gum base and the filler were then added to a mixing kettle.

The sugar alcohols, glycerin, flavor, high intensity sweetener and stain removing agent were added with mixing to obtain a homogenous mixture, with the stain removing agent added last. The mixture was then discharged from the mixing kettle and rolled and scored into a desired piece size by conventional techniques.

5

B. COATED GUMS - STAIN REMOVING AGENT IN COAT

TABLE 2

Ingredient	Sample 3	Sample 4	Sample 5
Core Gum			
Gum Base	26.250	26.250	26.250
Atomite (Filler)	3.750	3.750	3.750
Sorbitol	33.525	33.525	33.5250
Mannitol	7.500	7.500	7.500
Flavorant	2.8075	2.8075	2.8075
Glycerin	1.00	1.00	1.00
High Intensity Sweetener*	0.7875	0.7875	0.7875
Coat			
Maltitol	22.1228	21.6228	22.1228
Ace-K	0.0350	0.0350	0.0350
Flavorant	0.343	0.343	0.343
Gum Arabic	1.1678	1.1678	1.1678
Titanium Dioxide	0.1780	0.1780	0.1780
Candelilla Wax	0.0334	0.0334	0.0334
Sodium stearate**	0.500	---	---
IMWITOR 370®	----	1.00	---
Sodium Oleate	----	---	0.5000
Total	100.00	100.00	100.00

*Aspartame, Ace K mixtures

**Sodium stearate/palmitate @50/50

10

Gum cores were prepared by the same conventional methods as in part A herein. The molten gum base and the filler were added to the mixing kettle and mixing was commenced. The sugar alcohols, glycerin, flavors, and high intensity sweetener mixture, were added in portions with mixing to obtain a homogenous mixture. The mixture was then discharged from the mixing kettle and formed into cores by conventional techniques.

The cores were placed into a coating pan and broken into individual pieces as necessary. A sugarless solution containing 70% by weight of maltitol, as well as titanium dioxide, gum arabic and water was heated to between 70° and 80°C. The solution was sprayed onto the gum core pieces in layers and allowed to dry between sprays while the coating pan was continually rotating to ensure a smooth even coat of the gum cores.

The coating was built up to about 8% by weight of the final pellet weight. Ace-K was then added and then covered with another layer of the above-mentioned coating solution and then allowed to dry.

A 20% solution of the stain removing agent identified in Table 2 was prepared by heating water to between 65° and 75°C and then slowly adding the stain removing agent. The solution was mixed under low agitation to avoid foaming until a clear solution was obtained. The solution was maintained at the same temperature for the entire coating procedure.

After the high intensity sweetener layer was dried, the solution containing the stain removing agent and a flavorant were added in alternating layers until all of the respective materials were added with each layer being allowed to dry before the next layer was applied. The coating process continued with the coating solution until the coat comprised 24% by weight of the final pellet weight.

The coating was then topped with a conventional finishing solution until a shell weight of 25% by weight was obtained. The pellets were then polished in a polishing pan with candelilla wax in a convention manner.

C. COATED GUMS - STAIN REMOVING AGENT IN CORETABLE 3

5

Ingredient	Sample 6
Core Gum	
Gum Base	26.250
Atomite (Filler)	3.750
Sorbitol	32.962
Mannitol	7.500
Glycerin	1.00
Flavorant	2.8075
High Intensity Sweetener*	0.7875
Sodium stearate**	0.563
Coat	
Flavorant	0.343
Ace-K	0.0350
Maltitol	22.6228
Gum Arabic	1.1678
Titanium Dioxide	0.1780
Candelilla Wax	0.0334
Total	100.00

*Aspartame, Ace K mixtures

**Sodium stearate/palmitate @50/50

10 Gum cores were prepared by the same conventional methods as the slab gum in part A herein with the stain removing agent being added last. The mixture was then discharged from the mixing kettle and formed into cores by conventional techniques.

The cores were placed into a coating pan and coated as in Part B herein with the exception that the application of a stain removing agent-containing layer was eliminated from the process.

5 **EXAMPLE 2: EFFICACY TESTS OF GUM PRODUCTS**

A. MECHANICAL CHEW TEST

10 Chewing gum Sample 6, as prepared as in Example 1, was tested in an in-vitro mechanical chewing model. A commercial whitening pellet-type gum containing sodium bicarbonate was used as a control. The gum samples were masticated by the chewing machine, which contained stained bovine teeth on the chewing surfaces to simulate the top and bottom teeth in a human mouth. The samples were chewed for five minutes. The bovine tooth samples were read with a
15 Chrom-A-Meter before they were placed in the machine and after a simulated one week of chewing (28 doses). The color change is then determined by calculating the DE value. All of the stain is then removed from the bovine tooth samples and read again with the Chrom-A-Meter. The percent stain reduction is then calculated. The results are presented in Table 4.

20

TABLE 4 - Stain Reduction

	Control	Sample 6
% Stain Reduction	11.9%	34.1%

The test shows that Sample 6 provided a reduction in the occurrence of staining after the test period when compared to a commercial tooth whitening gum.

25

B. CLINICAL TESTS

Test I.: Sixty individuals were divided into 4 groups of 15 individuals each. Group I received no treatment. Group II received the chewing gum composition of Sample 3, and Group III received the chewing gum composition of
30

Sample 5 while Group IV acted as a control and received the commercial pellet-type tooth whitening chewing gum containing sodium bicarbonate mentioned above.

- 5 Each of the individuals used the chewing gum after meals and the staining effect was observed after 2 and 4 week periods. The results are shown in Table 5.

TABLE 5 - Stain Scores*

Stain Scores	No Treatment	Sample 3	Sample 5	Control
Baseline	1.04	1.04	1.04	1.04
2 week	1.09	0.93	1.02	1.06
4 week	1.43	1.30	1.24	1.38

10 *McPhearson Modification of the Lobene stain index

- As shown in Table 5, Samples 3 and 5 provided a reduction in the occurrence of staining after the 4 week test period when compared to no treatment group and to the commercial pellet-type tooth whitening gum containing bicarbonate mentioned above.
- 15

- Test II:. Two hundred individuals were divided into 4 groups of 50 individuals each. Group I received no treatment. Group II received the chewing gum composition of Sample 3, Group III received the chewing gum composition of Sample 4 while Group IV received the chewing gum composition of Sample 6.
- 20

Each of the individuals used the chewing gum after meals and the stain removing effect was observed after 4 to 8 week periods. The results are shown in Table 6.

TABLE 6 - Stain Reduction

4 Week	No Treatment	Sample 3	Sample 4	Sample 6
p-value() Baseline)	0.904	<0.001	0.002	<0.001
% Change	0.40	13.68	8.30	7.35

8 Week	No treatment	Sample 3	Sample 4	Sample [5]6
p-value() Baseline)	0.056	<0.001	0.002	<0.001
% Change	-5.67	20.17	10.04	14.29

5

TABLE 7 - Pair Comparison

4 Week	Sample 3	Sample 4	Sample 6
No Gum	<0.001	0.010	0.018
Sample 3	---	0.133	0.062
Sample 4	---	---	0.755

8 Week	Sample 3	Sample 4	Sample [5]6
No Gum	<0.001	<0.001	<0.001
Sample 3	---	0.044	0.258
sample 4	---	---	0.319

10 As shown in Tables 6 and 7, the chewing gum composition of Samples 3, 4 and 6 exhibited a significant stain removing effect when compared to the no treatment group.

EXAMPLE 3: PREPARATION OF PRESSED MINT PRODUCTS

Sample 1

A 2000 batch of a composition for forming a pressed mint product in accordance with the present invention is prepared in the following manner.

Sorbitol 98.0% by weight, 0.5% by weight of silicon dioxide, 0.3% by weight of a flavoring agent, and 0.7% of Aspartame are mixed for two minutes in a blender until a homogenous mixture is obtained. Sodium stearate 0.1% by weight is added to the mixture which is then blended for four minutes. The resulting mixture is then formed into individual pressed tablets in a conventional manner.

Samples 2 and 3

The procedure set forth in Sample 1 is repeated except that the amount of sodium stearate is increased to 0.5% (Sample 2) and 3.0% (Sample 3), respectively with a corresponding reduction in the amount of sorbitol.

Sample 4 and Control

The procedure of Sample 1 was repeated for forming pressed tablet compositions containing the ingredients shown in Table 8.

Table 8

INGREDIENT	SAMPLE 4	CONTROL
Sorbitol Powder	96.622	99.622
Aspartame	0.100	0.100
Acesulfame Potassium Salt	0.050	0.050
Flavorant	0.228	0.228
Sodium Stearate	3.000	-. ----

EXAMPLE 4: EFFICACY TESTS OF PRESSED MINT PRODUCTS

5 The pressed tablets produced in accordance with Sample 4 and the control example were tested to determine their ability to remove stains from hydroxyapatite disks.

10 Deionized water 400 ml was heated to and maintained at 37°C under a stirring with a stirring bar operating at 300 rpm. Two stained hydroxyapatite disks were suspended in the water. The test mints were dropped into the water and allowed to dissolve. As soon as the mints were dissolved the disks were removed from the test solution. The procedure was repeated for varying mint weight/dissolution times. The disks were read before and after treatment with a
15 Chrom-A-Meter and the difference was calculated. This procedure was repeated using deionized water alone and the difference calculated between before and after treatment. The test samples were compared to the control sample and to the water as a control and the % difference in stain reduction was calculated. The results are shown in Table 9.

20

Table 9

Weight/Dissolution Time	Water	Control
1.0 g/3 min.	84	52
1.5 g/4 min.	45	31
1.75 g/4.5 min.	101	26
2.0 g/5 min.	56	11
2.25 g/5 min.	81	22

The results shown in Table 9 show the percent improvement in stain reduction associated with Sample 4 as compared with water alone and the control mint composition having no stain removing agent present.

What Is Claimed Is:

1. A stain removing chewing gum composition comprising a core and an optional coating having at least one layer, at least one of said core and coating comprising a stain removing effective amount of at least one stain removing agent selected from the group consisting of anionic and non-ionic surfactants, said stain removing agent being present in a manner which enables an effective amount of the stain removing agent to be released from the composition.
2. The stain removing chewing gum composition of claim 1 wherein the stain removing agent is selected from the group consisting of medium and long chain fatty acid esters and salts.
3. The stain removing chewing gum composition of claim 2 wherein the medium and long chain fatty acid esters and salts contain 14-20 carbon atoms.
4. The stain removing chewing gum composition of claim 1 wherein the stain removing agent is a mixture of organic acid esters of mono and diglycerides.
5. The stain removing chewing gum composition of claim 1 wherein the stain removing agent is selected from the group consisting of sulfated butyl oleate, medium and long chain fatty acid esters and salts in particular the sodium and potassium salts of the stearate and palmitate, and methyl and ethyl esters thereof, sodium oleate, salts of fumaric acid, potassium glomate, organic acid esters of mono and diglycerides such as stearyl monoglyceridyl citrate, succistearin, dioctyl sodium sulfosuccinate, glycerol tristearate, lecithin, hydroxylated lecithin, sodium lauryl sulfate, acetylated monoglycerides, succinylated monoglycerides, monoglyceride citrate, ethoxylated mono- and diglycerides, sorbitan monostearate, calcium stearyl-2-lactylate, sodium stearyl lactylate, lactylated fatty acid esters of glycerol and propylene glycerol, glycerol-lactoesters of C14-C20 fatty acids, polyglycerol esters of C14-C20 fatty acids, propylene glycol alginate, sucrose C14-C20 fatty acid esters, diacetyl tartaric or citric acid esters of mono and diglycerides, and triacetin and mixtures thereof.

6. The stain removing chewing gum composition of claim 5 wherein the stain removing agent is selected from sodium stearate, sodium palmitate and mixtures thereof.

5

7. The stain removing chewing gum composition of claim 1 wherein the chewing gum composition is in the form of a slab or stick, said chewing gum composition having a reduced amount of a softener.

10

8. The stain removing chewing gum composition of claim 7 wherein the stain removing agent is an anionic surfactant.

15

9. The stain removing chewing gum composition of claim 8 where the stain removing agent is selected from the group consisting of sodium stearate, sodium palmitate and mixtures thereof.

20

10. The stain removing chewing gum composition of claim 1 wherein the chewing gum composition is a centerfill chewing gum composition having a centerfill and a gum portion, said stain removing agent being present in the centerfill, the gum portion or both.

25

11. The stain removing chewing gum composition of claim 1 in the form of a coated chewing gum composition wherein the stain removing agent is present in the coating, the core or both the coating and the core.

30

12. The stain removing chewing gum composition of claim 11 wherein the stain removing agent is present in the coating.

13. The stain removing chewing gum composition of claim 1 wherein the amount of the stain removing agent is from about 0.2 to 2.0% by weight based on the total weight of the chewing gum composition.

14. The stain removing chewing gum composition of claim 13 wherein the amount of the stain removing agent is from about 0.4 to 1.2% by weight based on the total weight of the chewing gum composition.

5 15. The stain removing chewing gum composition of claim 13 wherein the stain removing agent is a 50/50 mixture of sodium stearate and sodium palmitate and the amount of the stain removing agent is about 0.5% by weight based on the total weight of the chewing gum composition.

10 16. The stain removing chewing gum composition of claim 13 wherein the stain removing agent is a mixture of organic acid esters of mono and diglycerides and the amount of the stain removing agent is about 1.0% by weight based on the total weight of the chewing gum composition.

15 17. A method of removing stains from teeth comprising chewing an effective amount of the stain removing chewing gum composition of claim 1.

 18. A method of producing the stain-removing chewing gum composition of claim 1 comprising adding the stain removing agent in one of the last steps of forming the chewing gum composition to enable the stain removing agent to be loosely contained with the chewing gum composition whereby the stain removing agent can be effectively released upon chewing.

20

 19. A stain removing confectionery composition comprising a stain removing effective amount of at least one stain removing agent selected from the group consisting of anionic and non-ionic surfactants, said stain removing agent being present in a manner which enables an effective amount of the stain removing agent to be released from the composition.

25

 20. The stain removing confectionery composition of claim 19 wherein the stain removing agent is selected from the group consisting of medium and long chain fatty acid esters and salts.

30

21. The stain removing confectionery composition of claim 20 wherein the medium and long chain fatty acid esters and salts contain 14-20 carbon atoms.

5 22. The stain removing confectionery composition of claim 19 wherein the stain removing agent is a mixture of organic acid esters of mono and diglycerides.

23. The stain removing confectionery chewing gum composition of claim 19 wherein the stain removing agent is selected from the group consisting of sulfated butyl oleate, medium and long chain fatty acid esters and salts in particular
10 the sodium and potassium salts of the stearate and palmitate, and methyl and ethyl esters thereof, sodium oleate, salts of fumaric acid, potassium glomate, organic acid esters of mono and diglycerides such as stearyl monoglyceridyl citrate, succistearin, dioctyl sodium sulfosuccinate, glycerol tristearate, lecithin, hydroxylated lecithin, sodium lauryl sulfate, acetylated monoglycerides,
15 succinylated monoglycerides, monoglyceride citrate, ethoxylated mono- and diglycerides, sorbitan monostearate, calcium stearyl-2-lactylate, sodium stearyl lactylate, lactylated fatty acid esters of glycerol and propylene glycerol, glycerol-lactoesters of C14-C20 fatty acids, polyglycerol esters of C14-C20 fatty acids, propylene glycol alginate, sucrose C14-C20 fatty acid esters, diacetyl tartaric or
20 citric acid esters of mono and diglycerides, and triacetin and mixtures thereof.

24. The stain removing confectionery composition of claim 23 wherein the stain removing agent is selected from sodium stearate, sodium palmitate and mixtures thereof.

25

25. The stain removing confectionery composition of claim 19 wherein the amount of the stain removing agent is from about 0.2 to 20% by weight based on the total weight of the confectionery composition.

30 26. The stain removing confectionery composition of claim 25 wherein the amount of the stain removing agent is from about 3 to 15% by weight based on the total weight of the confectionery composition.

27. The stain removing composition of claim 19 wherein the confectionery composition is selected from the group consisting of hard boiled candies, nougats, gel confections, centerfill confections, panning goods, and fondants.

- 5 28. A method of removing stains from teeth comprising placing an effective amount of the stain removing composition of claim 19 into the oral cavity until the composition is dissolved.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/06816

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23G3/30 A23G3/00 A23G3/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 19193 A (PROCTER & GAMBLE ;HUGHES IAIN ALLAN (GB)) 27 June 1996 (1996-06-27) page 16, line 10 -page 18, line 18 page 17, paragraph 2 page 8, last paragraph -page 9, paragraph 1	1-4,7,8, 10-14, 17-21, 23,25-28
X	US 4 952 407 A (RECORD DAVID W ET AL) 28 August 1990 (1990-08-28) cited in the application claims 1,4-6 -/--	1-5,7, 13,14, 17,18



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

10 August 2001

Date of mailing of the international search report

21/08/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Guyon, R

INTERNATIONAL SEARCH REPORT

Interns

Application No

PCT/US 01/06816

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 824 291 A (HOWARD HERMAN S) 20 October 1998 (1998-10-20) cited in the application column 6, line 52 - line 56; claims 1,10,11; examples column 2, line 1 - line 35 column 5, line 48 - line 49 ---	1-11,13, 14,17,18
X	US 4 585 649 A (LYNCH MATTHEW J) 29 April 1986 (1986-04-29) column 7, line 40 - line 50; examples 46,65-72,74 ---	1-3,5-9, 11,13, 14, 17-21, 23-25, 27,28
X	US 5 380 530 A (HILL IRA D) 10 January 1995 (1995-01-10) column 19, line 65 - column 20, line 47; claims 1,3,9; examples column 10, line 4 - line 25 ---	1-5,8, 10-14, 16-18
X	US 5 756 074 A (ASCIONE JEAN-MARC ET AL) 26 May 1998 (1998-05-26) claims 1-4,16,25; examples ---	1-3,5,8, 17,18
X	US 5 736 175 A (CEA THERESA ET AL) 7 April 1998 (1998-04-07) the whole document ---	1-5, 16-18
A	WO 97 02011 A (PROCTER & GAMBLE ; EDWARDS MARK IEUAN (GB); HUGHES IAIN ALLAN (GB)) 23 January 1997 (1997-01-23) the whole document ---	1,18
A	WO 99 27798 A (ZYCK DANIEL J ; YATKA ROBERT (US); WRIGLEY W M JUN CO (US)) 10 June 1999 (1999-06-10) cited in the application the whole document ---	1-18
A	WO 88 00463 A (ORAL RES LAB) 28 January 1988 (1988-01-28) cited in the application the whole document ---	1-28
A	WO 99 43294 A (PROCTER & GAMBLE) 2 September 1999 (1999-09-02) cited in the application page 14, last paragraph - page 15, paragraph 4; claims ---	1-28

	-/--	

INTERNATIONAL SEARCH REPORT

Intern: Application No
PCT/US 01/06816

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 98 23165 A (RUSSELL MICHAEL P ;WITKEWITZ DAVID L (US); GUDAS VICTOR V (US); JO) 4 June 1998 (1998-06-04) cited in the application the whole document -----	1,19,25, 26

INTERNATIONAL SEARCH REPORT
information on patent family members

Interns Application No
PCT/US 01/06816

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9619193 A	27-06-1996	AU 4517496 A	10-07-1996
		BR 9510467 A	26-05-1998
		CA 2206457 A	27-06-1996
		CN 1170349 A	14-01-1998
		CZ 9701907 A	12-11-1997
		EP 0793479 A	10-09-1997
		JP 10511351 T	04-11-1998
		NZ 300435 A	29-03-1999
		PL 321859 A	22-12-1997
		SK 82497 A	10-12-1997
		TR 960610 A	21-07-1996
US 4952407 A	28-08-1990	AT 106676 T	15-06-1994
		AU 628386 B	17-09-1992
		AU 4201589 A	02-04-1990
		CA 1332573 A	18-10-1994
		CN 1041091 A	11-04-1990
		DE 68916004 D	14-07-1994
		DE 68916004 T	12-01-1995
		EP 0387330 A	19-09-1990
		ES 2016059 A	01-10-1990
		FI 96914 B	14-06-1996
		NO 902100 A	11-07-1990
		NZ 230331 A	26-07-1991
		PH 25515 A	24-07-1991
		WO 9002491 A	22-03-1990
US 5824291 A	20-10-1998	NONE	
US 4585649 A	29-04-1986	AT 58469 T	15-12-1990
		AU 580102 B	22-12-1988
		AU 4898285 A	26-06-1986
		CA 1254835 A	30-05-1989
		CN 85109119 A,B	27-08-1986
		DE 3580659 D	03-01-1991
		DK 479785 A	22-06-1986
		EP 0186276 A	02-07-1986
		ES 548326 D	01-11-1987
		ES 8800044 A	01-01-1988
		FI 854051 A,B,	22-06-1986
		GR 853080 A	21-04-1986
		HU 38529 A,B	30-06-1986
		JP 5088205 B	21-12-1993
		JP 61165318 A	26-07-1986
		NO 854135 A,B,	23-06-1986
		NZ 213891 A	26-04-1989
		PT 81344 A,B	01-11-1985
		SU 1823793 A	23-06-1993
		US 4627974 A	09-12-1986
		US 4632937 A	30-12-1986
		US 4627980 A	09-12-1986
		US 4610871 A	09-09-1986
		US 4610872 A	09-09-1986
		US 4627975 A	09-12-1986
		US 4627978 A	09-12-1986
		US 4627976 A	09-12-1986
		US 4627979 A	09-12-1986
		ZA 8508088 A	27-08-1986